DRAWING NOTES:

1. PROVIDE DATA JACK AND CABLING PER SPECIFICATIONS, ABOVE ACCESSIBLE CEILING AT EXISTING CAMERA LOCATION. TEST WIRING TO ENSURE PROPER FUNCTION. AT EXTERIOR LOCATIONS, DATA JACK SHALL BE LOCATED JUST INSIDE BUILDING, CONCEALED WHERE POSSIBLE, AND STUB 1" CONDUIT THROUGH WALL TO CAMERA LOCATION.

2. REWIRE EXISTING CARD READER TO NEW DOOR HARDWARE COMPONENTS AS REQUIRED TO ACHIEVE SECURE DOOR ENTRANCE OPERATION.



GROUND FLOOR PLAN - SYSTEMS

SCALE: 1/16" = 1'-0"

RUN ALL DATA CABLING ON THIS FLOOR TO IDF #2 ROOM. REFER TO POWER DRAWINGS FOR ADDITIONAL QUANTITIES.

FIRST FLOOR PLAN - SYSTEMS

SCALE: 1/16" = 1'-0"

CONSOLIDATED ENGINEERS
1022 James Drive
Leesport, PA 19533
Tel 610-916-1600 Fax 610-916-1610
Internet www.consolidatedengineers.com

AEM ARCHITECTS INC.
3700 PERKIOMEN AVENUE, READING, PA 19606-2795
Phone: 610.779.3220 Fax: 610.779.8022
www.aem-arch.com

COMMONWEALTH OF PENNSYLVANIA
REGISTERED PROFESSIONAL
CHRISTOPHER B. VANCAMPEN
ENGINEER
PROVINCES

FLOOR PLANS - SYSTEMS

RENOVATIONS TO THE
REAMSTOWN ELEMENTARY SCHOOL
COCALICO SCHOOL DISTRICT
SOUTH REAMSTOWN ROAD, REAMSTOWN, PENNSYLVANIA, LANCASTER COUNTY, PA

All DIMENSIONS and EXISTING CONDITIONS shall be CHECKED and VERIFIED by the CONTRACTOR at the SITE.

JOB NO.: 22011.00
DRAWN BY: DS
DATE: 04.14.23

E-7