



WALL TYPE 1




WALL TYPE 1A


REFER TO A-13A FOR TOILET ROOM ELEVATIONS



WALL TYPE 2




WALL TYPE 3




WALL TYPE 3A


REFER TO A-13A FOR TOILET ROOM ELEVATIONS




WALL TYPE 4



WALL TYPE 5




WALL TYPE 5A



WALL TYPE 6


ACOUSTICAL DESIGN - STC 44




WALL TYPE 6A

ACOUSTICAL DESIGN - STC 44

REFER TO A-13A FOR TOILET ROOM ELEVATIONS




WALL TYPE 7



WALL TYPE 7A

REFER TO A-13A FOR TOILET ROOM ELEVATIONS




WALL TYPE 8

NOTE: ALL WALLS SHALL RUN TO UNDERSIDE OF DECK UNLESS NOTED OTHERWISE.


### WALL TYPE DETAILS

SCALE: 3/4" = 1'-0"



CEILING @ WALL

SCALE: 3/4" = 1'-0"




WALL @ FLOOR

SCALE: 3/4" = 1'-0"

NOTE: MINIMUM STC RATING OF WALL CONSTRUCTION SHALL BE 38.


1 TYPICAL GYP. BOARD WALL DETAIL

SCALE: 3/4" = 1'-0"



6 LOUVER OPENING INFILL DETAIL


SCALE: 1-1/2" = 1'-0"



2 SOUND SEAL DETAIL


SCALE: 1-1/2" = 1'-0"

NOTE: STC RATING SHALL BE MINIMUM OF 44




3 SOUND TRANSMISSION CLASS DETAILS

SCALE: 3/4" = 1'-0"




TYPICAL HOLLOW METAL DOOR FRAME IN NEW WALL

SCALE: 1-1/2" = 1'-0"




TYPICAL HOLLOW METAL DOOR FRAME IN GYP. BOARD WALL

SCALE: 1-1/2" = 1'-0"




4 EPOXY TERRAZZO PATCH DETAIL

SCALE: 1-1/2" = 1'-0"




7 TYPICAL HVAC CHASE

SCALE: 1/2" = 1'-0"




8 PLUMBING CHASE LIBRARY

SCALE: 1/2" = 1'-0"




9 TYPICAL PLUMBING CHASE

SCALE: 1/2" = 1'-0"




5 CONCRETE TERRAZZO PATCH DETAIL

SCALE: 1-1/2" = 1'-0"




10 CLASSROOM 105 CASEWORK CHASE

SCALE: 1/4" = 1'-0"




TYPICAL HOLLOW METAL DOOR FRAME IN EXISTING WALL

SCALE: 1-1/2" = 1'-0"



TYPICAL FLOOR DRAIN INSTALLATION IN EXISTING FLOOR



SCALE: 1-1/2" = 1'-0"



12 TYPICAL TRENCH IN EXISTING FLOOR DETAIL

SCALE: 3/4" = 1'-0"

- NOTE 1: EXCAVATION BY CONTRACTOR REQUIRING THE SAME UNLESS OTHERWISE NOTED. LOCATION, SIZING, AND DEPTH INFORMATION SHALL BE DETERMINED BY TRADE REQUIRING SAME. ALL INTERIOR EXCAVATION (IN EXISTING BUILDING TO REMAIN) SHALL BE CONSIDERED CUTTING AND PATCHING AND SHALL BE BY THE TRADE REQUIRING THE SAME.
- NOTE 2: ALL HANDWORK IN TRENCH SHALL BE BY THE TRADE RESPONSIBLE FOR THE INSTALLATION.
- NOTE 3: STRUCTURAL BACKFILL SHALL BE ACCOMPLISHED PER THE SPECIFICATIONS BY TRADE PERFORMING THE EXCAVATION. WORK SHALL INCLUDE REQUIRED QUALITY CONTROL TESTING BY TRADE PERFORMING EXCAVATION.
- NOTE 4: 4" STONE BASE BY G.C.
- NOTE 5: VAPOR BARRIER BY G.C.
- NOTE 6: REINFORCED CONCRETE SLAB BY G.C. AT ALL LOCATIONS. G.C. SHALL COORDINATE AND PROVIDE ANY REQUIRED SLAB DEPRESSIONS.



**AEM ARCHITECTS, INC.**  
3700 PERKIDOMEN AVENUE, READING, PA 19606-2785  
Phone: 610.779.3220 Fax: 610.779.8822  
www.aem-arch.com

**TYPICAL DETAILS**  
RENOVATIONS TO THE  
REAMSTOWN ELEMENTARY SCHOOL FOR  
COCALICO SCHOOL DISTRICT  
SOUTH REAMSTOWN ROAD, EAST COCALICO TOWNSHIP, LANCASTER COUNTY, PA

ALL DIMENSIONS AND EXISTING CONDITIONS  
SHALL BE CHECKED AND VERIFIED  
BY THE CONTRACTOR AT THE SITE.

JOB NO.: 22011.00  
DRAWN BY: SRH,TCW  
DATE: 04.14.23