

SECTION 01 04 00
COORDINATION AND CONTROL

PART 1 – GENERAL

1.1 STIPULATIONS

- A. The specifications sections " General Conditions of the Construction Contract ", "Special Conditions", and "Division 1 - General Requirements" form a part of this Section by this reference thereto, and shall have the same force and effect as if printed herewith in full.

1.2 SECTION INCLUDES

- A. This section includes the on-site provisions that govern the performance of the work to complete this Project.

1.3 CONTRACTS - FOR THIS PROJECT CONSTRUCTION

- A. DGS C-0588-0015 PHASE 1.1 General Construction (Prime Contractor)
- B. DGS C-0588-0015 PHASE 1.2 HVAC Construction
- C. DGS C-0588-0015 PHASE 1.3 Plumbing Construction and Fire Protection
- D. DGS C-0588-0015 PHASE 1.4 Electrical Construction

1.4 VISIT TO SITE

- A. For access to the site during the bidding period contact the Client Agency site personnel with phone number listed below:
 - 1. Client Agency Site Representative: Justin Shull
 - 2. Telephone Number: (717) 789-5612

1.5 UNIDENTIFIED HAZARDOUS MATERIALS (ASBESTOS, CHEMICALS, ETC.)

- A. There is a possibility that hazardous materials not identified in the contract documents may be discovered on this project. Should it be determined that some or all of the hazardous materials must be removed, the Contractor shall obtain an estimate for said removal from a Subcontractor who is experienced in the field, has insurance and is knowledgeable of the regulations as they apply. The Contractor may provide the estimate itself if it is qualified in the applicable hazardous materials field. The Department shall consider authorizing a Change Order for the removal of the hazardous material to the extent necessary.
- B. The Contractor or Subcontractor must comply with all requirements of the General Conditions, including the maintenance of insurance up to the limit required under the General Conditions.
- C. Should a hazardous material be encountered on the job, the Contractor shall comply with all statutes and regulations of the Commonwealth of Pennsylvania and all rules and regulations of the United States Environmental Protection Agency as they apply during construction and demolition work and the disposal of hazardous material. Particular attention is drawn to the Code of Federal Regulations, Title 40, Part 61, Section 112 of Clean Air Act and PA Department of Labor and Industry, Act 194 for asbestos.

- D. The Contractor shall comply fully with the regulations of OSHA as they pertain to the protection of workers exposed to the emission of asbestos fibers, chemicals, etc. and shall take all steps necessary to protect its employees, as well as all other people occupying the building.
- E. Whenever a hazardous material is to be removed or disposed of, the Contractor is required to make proper notification to the Bureau of Air Quality in the PA Department of Environmental Protections' Regional Office, PA Department of Labor and Industry and EPA as applicable, and is required to obtain and pay for any permits required. Disposal shall conform to all applicable regulations and documentation shall be required when applicable.

1.6 LEAD PAINT

- A. All work is to be performed with the assumption that all painted surfaces are lead containing. Each Prime Contractor is responsible for following all required OSHA 1926.62 'Lead In Construction' standards when disturbing or impacting these painted surfaces during the course of the renovations, including but not limited to activities such as: cutting and patching, core drilling, penetration, anchoring, fastening, etc. The area(s) shall be visually clean upon completion of any of these activities.
 - 1. Action Plan: Contractor(s) shall submit an Action Plan that conforms to Paragraph 1.6.A.1-3 herein for approval at the Initial Job Conference, which specifically outlines details of means and methods to be used for each dust-generating activity involving lead-painted surfaces, erection of critical barriers and plastic sheeting for dust control, subsequent exposure assessment, personal protective equipment, hygiene, and clean-up.
 - 2. Contractor(s) shall utilize means and methods that preclude dust generation to complete work that disturbs/impacts lead-containing paint (i.e., paint stripper, HEPA-assisted drills, etc.).
 - 3. Contractor(s) shall ensure areas beyond work area are not contaminated, and shall immediately stop work and erect plastic sheeting to prevent the spread of dust, anytime means and methods inadvertently create dust.
 - 4. Should the contractor discover any unidentified Lead paint, the contractor may request a change order for removal from the Department. See 1.5A.

1.7 MOLD

- A. In the event mold is encountered, the Contractor shall implement corrective actions to protect workers, other building occupants, and to prevent the disturbance of mold in affected areas. Although not presently regulated by EPA and/or OSHA, the EPA does provide industry standards regarding worker safety and abatement procedures, which are the minimum procedures to be followed if mold is encountered.
- B. Any mold that appears as a result of construction shall be abated immediately by the Contractor responsible for this condition. The affected surface shall be cleaned, removed, and replaced. Inspection and testing shall be done by a qualified testing agency to confirm the mold has been removed in its entirety.
 - 1. Should the contractor discover any unidentified mold, the contractor may request a change order for removal from the Department. See 1.5A.

1.8 TESTING OF EQUIPMENT

- A. After any equipment furnished under the contract and any permanent heating, ventilating, plumbing, drainage or electrical systems and equipment have been installed or modified, it shall be the responsibility of the Contractor to operate its equipment for a satisfactory period of time, as required by the Department for proper testing and instructing the operating personnel. Fuel, electricity, and water required for proper testing of permanent equipment and for the period of instructing personnel, shall be paid for by the Contractor testing its equipment.

1.9 PROJECT PHOTOGRAPHS

- A. Progress photos will not be required.

1.10 INSTRUCTIONS AND TRAINING

- A. Refer to the General Conditions of the Construction Contract, as specified in the applicable technical portion of each specification for "Operations and Maintenance Instruction Manuals" and "Record Drawings" requirements.
- B. Unless approved by the Department, training shall not be scheduled/conducted until Record Drawings, Operation and Maintenance Instruction Manuals, valve tag lists, equipment and piping system identification, and all software programming is complete.
- C. Provide full on-site training and instruction to designated Commonwealth personnel given by competent manufacturer's authorized personnel thoroughly familiar with all technical and operational aspects of the installed items. Instructions are to cover the operation and maintenance of all systems, equipment components and other items as specified and furnished under this contract. Instructional digital video recordings may be used to augment required instructions and training but may not be substituted for the in person on-site training. All on-site training shall be digitally recorded by the Contractor. The digital video files are to be turned over to the Client Agency.
- D. The contractor shall provide an outline of the training and course content, which shall be submitted and accepted by the Professional and the Department prior to conducting training.
- E. Conduct instruction and training during regular working hours. For training on complicated systems, allow at least one-half of the training time to be at and/or with the system equipment.
- F. Provide additional training and instructions for all significant modifications and/or changes made under the terms and/or conditions of the manufacturer's and/or Contractor's warranty.
- G. The Contractor shall maintain and submit a sign-in list that clearly documents all personnel attending the training.

1.11 PROJECT SIGN

- A. Provide a Project Sign. Refer to the General Conditions of the Construction Contract.

1.12 REUSE OF MATERIALS

- A. No removed materials or equipment shall be reinstalled in the work, unless so noted on the Drawing or in these Specifications.

1.13 GENERAL

- A. All construction trailers, offices, equipment, and materials required to be on-site shall be located as shown on the Drawings, or at the direction of the Department.

1.14 WORKING HOURS

- A. The Contractor's available working hours shall be from 7:30 A.M. to 4:00 P.M., Monday through Friday

- B. Work during different hours, or work on Saturdays, Sundays, State and National Holidays or overtime work, must have the Regional Director's or his designee's prior written approval. Work on these days if approved shall be at no additional cost or time to the Contract.
- C. This shall not apply in those unforeseen isolated and/or emergency instances when a particular operation must be performed in a continuous sequence that extends the working day beyond the approved working hours. Coordinate with the Department in these instances.
- D. The Department's failure to approve different working hours, weekend or holiday working hours, or overtime hours is not cause for a claim against the Department for delay or any added costs or time to the Contract.
- E. Utility shutdowns required for tie-ins to existing systems shall be done in off-hours, weekends, and/or holidays to minimize the impact on the operations of the Client Agencies (and/ or surrounding buildings). These costs shall be anticipated and included in the Contractor's bid. Contractors are to follow all requirements stated in Articles 6.21 and 6.22 of the General Conditions and submit the "Utility Shutdown Checklist" form accessed through the eBuilder Forms Module for approval. Forms are located under the Project Menu along the left column of eBuilder. The "Utility Shutdown Checklist" form is listed under Workflow Forms within the "All Workflow and Static Forms" drop-down menu.

1.15 DELIVERY, STORAGE AND HANDLING

- A. Prefinished materials shall arrive at the job site in their original unopened cartons or other protective packaging necessary to protect finishes. Materials shall be stored in such packages until the time of application. Flat materials such as panels shall arrive and remain on adequate support to ensure flatness and prevent damage.
- B. Store all materials, equipment, and bulk items prior to installation in clean, dry, well ventilated locations away from uncured concrete, masonry, or damage of any kind. Waterproof tarpaulin or polyethylene sheeting must allow for air circulation under covering.
- C. Coordinate storage location with the Department.
- D. Refer to each section for specific delivery, handling and storage instructions of items specified.

1.16 PARKING

- A. Parking shall be limited to areas indicated on the Site Plans. All parking is subject to prior approval of the Department and Client Agency.

1.17 TRAFFIC

- A. The Prime Contractor shall establish at the Initial Job Conference a construction staging and traffic plan for the project which minimizes the construction interference with the Client Agency's operation. This plan is subject to the Department's and the Client Agency's review and acceptance. This acceptance does not relieve the Contractors of their responsibilities regarding safety coordination, and adherence to all traffic laws and ordinances.

1.18 SUBSURFACE INFORMATION

- A. NA

1.19 SITE FENCE

- A. If required, the Prime Contractor will be responsible for the site fence. See site plan for location.

1.20 ENVIRONMENTAL QUALITY CONTROL

- A. The Prime Contractor and its Subcontractors shall perform their work in a manner which shall minimize the possibility of air, water, land, and noise pollution, in accordance with the General Conditions of the Construction Contract.
- B. The name, address and telephone number of the Department of Environmental Protection Regional Office is furnished below. This office shall be contacted for waste disposal permits and for information concerning sites already approved for conducting waste disposal.

Southcentral Regional Office
 909 Elmerton Avenue
 Harrisburg, Pa. 17110-8200
 (717) 705-4700

Counties: Adams, Bedford, Berks, Blair,
 Cumberland, Dauphin, Franklin,
 Fulton, Huntingdon, Juniata,
 Lancaster, Lebanon, Mifflin,
 Perry, and York

1.21 OFFICE FOR CONTRACTOR

- A. Each Prime Contractor shall provide and maintain, at its cost, a suitable office on the premises, at a location shown on the Prime Contractor's accepted staging plan. The Contractor shall provide and maintain heating facilities and supply fuel for same in cold weather, and shall remove the office from the premises at completion of all work. Provide electrical, telephone and internet service.

1.22 DGS CONSTRUCTION MANAGER OFFICE

- A. The Client Agency is providing temporary office space for the DGS Construction staff. The Client Agency will provide the DGS Construction Manager Office space, which will be located in Building #20.
- B. The Prime Contractor shall clean the DGS Construction Coordinator Office at least bi-weekly, for the duration of the project through the completion of all punch list items (unless directed otherwise by the Department).

- B. Equipment:
 The Prime Contractor shall furnish, for the DGS Construction Coordinator Office, the following items in the quantity indicated and remove same from the premises when directed by the Department. The Prime Contractor shall maintain all items in good condition and furnish all supplies (i.e., toner, paper, bottled water, drinking cups, bathroom supplies) for the duration of the Contract. If any equipment fails, it shall be repaired or replaced by the Prime Contractor within twenty-four (24) hours of being notified by the Department. Specified IT hardware/peripherals shall be compatible with the HP Revolve 810 EliteBook and include all required battery chargers, data cables, software, ect. to provide a fully integrated and functioning system.

- 1. 2 Desk(s) with swivel chair(s)
- 2. 0 Electronic calculator
- 3. 1 Plans rack(s), plan rack shall include required quantity of plan sticks to fully utilize the plan rack
- 4. 1 Plans table(s) with stools
- 5. 0 Four (4) drawer file cabinet(s)
- 6. 0 12" deep shelving units of thirty (30) lineal feet
- 7. 0 Six (6) foot table(s)
- 8. 0 Chair(s)
- 9. 0 Clothes tree or closet with rod
- 10. 0 Provide an all in one print/copy/scan/fax machine capable of producing 35 pages per minute double sided on 8-1/2"x11" and 11"x17". Machine shall be wireless capable and network capable and print/copy/scan/fax both in color and black and white

11. 2 Safety glasses
12. 1 Fire Extinguisher
13. 1 First-Aid Kit
14. 1 Water cooler, with hot and cold taps
15. 1 Telephones (cordless, with speaker phone capabilities), and answering machine.
16. 2 Trash cans

IT Hardware/Peripherals:

17. 4 Computer monitor(s) - basis of design - Hewlett Packard ProDisplay P232 - 23"
18. 2 Keyboard - basis of design - Hewlett Packard KU-1156
19. 2 Docking station with all associated cables for connection of all peripheral devices to support the Hewlett Packard Revolve 810 - Basis of design - HP 2013 UltraSlim Docking Station.
20. 2 Mouse - optical mouse with USB cord, dual button and scroll wheel – Basis of design - Hewlett Packard
21. 1 55" High Definition LED flat panel monitor with wall mount bracket and remote. The monitor shall be network/wireless capable, 120Hz, 1080P.
22. 1 Wireless connectivity to the 55" High Definition LED flat panel monitor shall be accomplished with a wireless receiver and transmitter – Basis of design - Screen Beam Mini2 wireless receiver (Catalog # SBWD60A01) and a Screen Beam USB Transmitter 2 (Catalog # SBWD200TX02).
23. 1 4'x3' white marker board with (2) sets of markers of standard color.
24. 1 12 Month Wall Calendar - 20"x30" - Basis of design AT-A-GLANCE, Model #PM4-28-17

Other Items:

25. 2 Plain white ANSI approved hardhats
26. 0
27. 0
28. 0

- D. The DGS Construction Coordinator Office shall be equipped by the Prime Contractor with telephone cabling and jacks to connect one (1) telephone voice line and one (1) independent facsimile line to the combination copier fax machine for use by DGS Personnel. The Prime Contractor shall provide up to four (4) modular telephone jacks (RJ-11 connectors) in the main office area. The Prime Contractor will install telephone cable to connect each jack to the demarcation point where the local telephone company provides service (utility pole, telephone room or other access point). The Prime Contractor shall place orders to the local telephone company to activate line service and pay for the service and monthly charges.
1. The Prime Contractor shall provide two (3) data/phone jacks in locations indicated on the approved office plan accepted by the Department for use with the Department's computer(s) and Contractor provided phones. The Prime Contractor shall provide an Internet service and pay all connections/disconnection and monthly fees. The Prime Contractor shall provide a broadband Internet connection with Wi-Fi access utilizing WPA2 security. Options include cable modem, DSL, or similar service (dial up is not acceptable). The Wi-Fi should be positioned to provide sufficient coverage in the DGS office space. The contractor shall provide usernames/passwords for authorized wireless users as determined by the DGS Construction Project Manager.
 2. It shall be the Prime Contractor's responsibility to ascertain the means in which the Internet source will be provided. Internet download and upload speeds of 100Mbps shall be provided at all times. The Internet source must be coordinated with the DGS Construction Project Coordinator to assure compatibility with the Department's hardware/software requirements. Wireless access point shall be made fully operational

and maintained by the Contractor. At the Departments' sole discretion 4G LTE wireless hotspot internet service may be acceptable.

1.23 SANITARY FACILITIES

- A. The Contractor shall, at its cost, provide and maintain in a clean and sanitary condition adequate and approved sanitary facilities in accordance with O.S.H.A. requirements. All facilities shall be screened against insects. When directed by the Department, the Contractor shall dismantle and remove these facilities and disinfect as required. Portable chemical toilets approved by the Pennsylvania Department of Health are acceptable. Under temporary field conditions, provisions shall be made to assure not less than one toilet facility is available.

1.24 SMOKING POLICY

- A. Smoking and use of smokeless tobacco, chewing tobacco, snuff, Vape machines and similar paraphernalia are strictly prohibited in all buildings.

1.25 CONCRETE AND EARTHWORK

- A. All Contractors shall perform concrete work and earthwork required for their work, and shall comply with applicable Division 2, 3, 31, 32, and 33 sections. If any specification section contains language conflicting with requirements of applicable Division 2, 3, 31, 32, and 33 sections, the most stringent requirements shall prevail.

1.26 QUALITY CONTROL TESTING

- A. Structural-related testing and inspections required to be performed by the Contractor(s) are listed in Section 014000 – Quality Control Testing Services. If Quality Control testing or inspections required appear in Section 014000 and in a technical section, the most stringent requirements shall prevail. If Quality Control testing or inspections required appear in a technical section and not in Section 014000, they shall be required as if specified in Section 014000. Conditions pertaining to Quality Control testing and inspections may appear in the technical sections. All testing herein is to be by the Contractor. Testing by the Department, Quality Assurance Testing, is for the purpose of checking the results of the Contractor's Quality Control Testing. Testing is to be by the Contractor, unless specifically stated to be "by the Department" or required by Section 014010 – Quality Assurance Testing and Inspection Services.
- B. Non-structural testing is in the technical specifications.

1.27 CADD FILE WAIVER

- A. The Professional will make graphic portions of the bid drawings available for use by the Contractor by uploading files to e-Builder.
- B. Electronic files shall be uploaded only after all construction contracts have been executed.
- C. The files are provided as a convenience to the Contractor, for use in preparing shop drawings and/or coordination drawings related to the construction of this Project only. These files and the information contained within are the property of the Department, and may not be reproduced or used in any format except in conjunction with this Project.
- D. The Contractor acknowledges that the information provided in these files is not a substitution or replacement for the Contract Documents and does not become a Contract Document. The Contractor acknowledges that neither the Professional nor the Department warrant or make any representation that the information contained in these files reflect the Contract Documents in their entirety. The Contractor assumes full responsibility in the use of these files and acknowledges that all addenda, clarifications, and changes to the drawings executed as a part of the Contract Documents may or may not be incorporated in these electronic files.

- E. The Contractor acknowledges that the furnishing of these files in no way relieves the Contractor from the responsibility for the preparation of shop drawings or other schedules as set forth in the Contract between the Contractor and the Department.
- F. The electronic documents shall be stripped of the Professional's name and address, and any professional licenses and signatures indicated on the contract documents. Use of these electronic documents is solely at the Contractor's risk, and shall in no way alter the Contractor's Contract for Construction.
- G. Disclaimer: The Professional and Department make no representation regarding fitness for any particular purpose, or suitability for use with any software or hardware, and shall not be responsible or liable for errors, defects, inexactitudes, or anomalies in the data, information, or documents (including drawings and specifications) caused by the Professional's or its Consultant's computer software or hardware defects or errors; the Professional's or its Consultant's electronic or disk transmittal of data, information or documents; or the Professional's or its Consultant's reformatting or automated conversion of data, information or documents electronically or disk transmitted from the Professional's Consultants to the Professional.
- H. By the Contractor's or their subcontractor's use of the electronic files (e.g., AutoCAD files), the Contractor and their subcontractor waive all claims against the Department, the Professional, its employees, officers, and Consultants for any and all damages, losses, or expenses the Contractor incurs from any defects or errors in the electronic documents. Furthermore, the Contractor shall indemnify, defend, and hold harmless the Department, the Professional, and its Consultants together with their respective employees and officers, from and against any claims, suits, demands, causes of action, losses, damages, or expenses (including all attorney's fees and litigation expenses) attributed to errors or defects in data, information, or documents, including drawings and specifications.

1.28 DELEGATED DESIGN SERVICES

- A. Performance and Design Criteria: Where design services or certifications by a design professional are specifically delegated to the Contractor by the Contract Documents, provide products and systems complying with specific performance and design criteria indicated in the technical specification sections.
 - a. Delegated Items and specification reference
 - 230516 - Expansion Fittings and Loops
 - 230529 - Pipe hangers and Supports
 - 230548 - Vibration Control for HVAC
 - 232113 - Hydronic Piping
 - 232213 - Steam and Condensate Heating Piping
 - 232300 - Refrigerant Piping
 - 235700 - Heat Exchangers for HVAC
 - 236313 - Air-Cooled Refrigerant Condensing Units
 - 238126 - Split-System Heat Pumps
 - 283111- Digital, Addressable Alarm System
 - 210529 - Hangers and Support for Fire Suppression
 - 211313 - Wet Pipe Sprinkler Systems
 - 211316 - Dry Pipe Sprinkler Systems
 - 213116 - Electric Centrifugal Fire Pumps
 - 323113 – Chain Link Fences and Gates
 - b. If criteria indicated in the technical sections are not sufficient to perform services or certification required, submit a written request for additional information to the Professional.

- B. Delegated Design Services Submittals: In addition to Shop Drawings, Product Data, and other required submittals, submit a statement signed and sealed by the responsible design professional registered in the Commonwealth of Pennsylvania, for each product and system specifically assigned to the Contractor to be designed or certified by a design professional, indicating that the products and systems are in compliance with performance and design criteria indicated. Include list of codes, loads, and other factors used in performing these services.

1.29 COORDINATION DRAWINGS

A. General:

1. Refer to the General Conditions of the Construction Contract regarding the preparation of Coordination Drawings and the responsibilities of all Prime Contractors. Any conflicts between or questions regarding the requirements in this Section and the requirements in the General Conditions should be brought to the attention of the Professional.
2. Refer to Technical Specification sections for specific Coordination Drawing requirements for mechanical and electrical installations. Other Technical Specifications sections may also identify requirements for Coordination Drawings.
3. The Prime Contractors shall indicate the value of this effort as a line item on the Schedule of Values.
4. Submission of Coordination Drawings shall be included as a milestone on the Construction Schedule. The General Contractor shall initiate this action and acquire the necessary dates from the other Prime Contractors as part of their overall scheduling responsibilities.
5. Coordination drawings shall be completed within (60) calendar days of the Effective Date of the Contract.
6. The Department's receipt of Coordination Drawings does not in any way constitute approval, or relieve the Prime Contractors of the responsibility to accurately coordinate and install their work.

B. Coordination Procedures:

1. The HVAC Contractor shall have the lead role in this process and shall initiate Coordination Drawings by producing background drawings in electronic format. Electronic drawing files will be available in e-Builder to all Prime Contractors. These background drawings shall include walls, partitions, structural elements, finished floor elevations, dimensions, ductwork, piping, conduit, system devices, associated equipment, etc.
2. Electronic drawings shall then be forwarded to the other Prime Contractors, one at a time, including the General Contractor, for inclusion, layout and interface of all relative equipment, material and penetrations associated with the Work.
3. Each Prime Contractor is responsible for the accuracy and completeness of all Coordination Drawings and shall review all other Prime Contractor's drawings so that there will be no interference and/or conflict with its portion of the work.
4. Upon completion of the preliminary Coordination Drawings, the HVAC Contractor shall schedule a coordination meeting with all Prime Contractors in order to resolve all interference issues. Altering structural elements, bearing elevations, established dimensions, partition locations and ceiling/bulkhead heights or any other aesthetic effect is prohibited without the consent of the Professional.
5. Upon resolution of all interference issues, the Coordination Drawings shall be revised as required, and upon acceptance by all Prime Contractors, the HVAC Contractor will upload the final Coordination Drawings to e-Builder.
 - a. Coordination Drawings shall contain a signature block for each Prime Contractor to provide signatures and dates indicating concurrence.
6. Coordination Drawings may be formulated and submitted in partial submittals to facilitate the construction schedule and sequence of work within the Project. This must be agreed to by all Prime Contractors and a priority of sequence must be established that has the

concurrence of all parties, including the Department. Approval of partial sets of Coordination Drawings shall not relieve the Contractors of their responsibility for properly coordinating work appearing in subsequent submissions. Any revisions to subsequent work necessitated by such partial approvals shall be performed at no additional cost to the Department.

C. Coordination of Work:

1. Each Prime Contractor shall clearly show, and coordinate with the other Prime Contractors, the following:
 - a. Arrange for pipe spaces, chases, slots, sleeves, and openings with general construction work, and arrange in building structure during progress of the Work, to allow for and facilitate distribution line and equipment installation.
 - b. Coordinate installation of required supporting devices for ductwork, piping, and conduit, as well as sleeves, and other structural components, as they are constructed.
 - c. Coordinate requirements for access panels and doors for HVAC, Plumbing and Electrical items requiring access where concealed behind finished surfaces.
 - d. Coordinate electrical connections to equipment provided by all Contractors.
 - e. Sequence, coordinate, and integrate installing materials and equipment for efficient flow of the Work. Coordinate installing large items of equipment requiring positioning before closing in the building.
2. Each Prime Contractor shall coordinate its construction operations with those of other Prime Contractors and entities to ensure efficient and orderly installation for each part of the Work. Each Prime Contractor shall coordinate its operations with other operations, included in different Sections that depend on each other for proper installations, connection, and operation. All Prime Contractors shall:
 - a. Schedule construction operations in sequence required to obtain the best results where installation of one part of the Work depends on installation of other components, before or after its own installation.
 - b. Coordinate installation of all components with other Prime Contractors to ensure adequate accessibility/clearance for required maintenance and service.
 - c. Make provisions to accommodate items scheduled for later installation.

1.30 PERMIT CONDITIONS

- A. Exhibits-A Building Permit attached at the end of this section

PART 2 – PRODUCTS (Not Used)

PART 3 – EXECUTION (Not Used)

END OF SECTION