




1 CABLE RUNWAY RACK MOUNTING - PERPENDICULAR DETAIL  
N.T.S.




2 CABLE RUNWAY RACK MOUNTING - PARALLEL DETAIL  
N.T.S.



3 CABLE RUNWAY SINGLE POINT MOUNTING  
N.T.S.




4 CABLE RUNWAY TRAPEZE MOUNTING  
N.T.S.




7 LADDER TYPE CABLE RUNWAY WALL MOUNTING DETAIL  
N.T.S.

SPACE SUPPORTS ACCORDING TO CABLE TRAY WORKING LOAD RATING AND CABLE RUNWAY MANUFACTURER RECOMMENDATIONS. FIRST SUPPORT MUST BE WITHIN 12" OF SPLICE WITH A MAXIMUM OF ONE SPLICE BETWEEN SUPPORTS.

1. SURFACE MOUNTED CHANNEL MUST BE SECURELY FASTENED INTO THE SLAB, WALL, ETC. SUFFICIENTLY TO CARRY THE LOAD OF THE TRAY AND ITS CONTENTS WITH A SAFETY FACTOR OF 5.
2. ALL CHANNEL, TRAY FITTINGS AND ACCESSORIES ARE TO BE GALVANIZED.



5 LADDER TYPE CABLE RUNWAY WALL MOUNTING  
N.T.S.



**VERIFY SCALE**  
BAR IS ONE (1) INCH LONG ON ORIGINAL DRAWING:  
0 1  
IF BAR IS NOT ONE (1) INCH LONG, ADJUST SCALE ACCORDINGLY  
CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS. VARIANCE FROM CONTRACT DOCUMENTS NOT PERMITTED WITHOUT PROFESSIONAL & BUREAU OF CONSTRUCTION APPROVAL.

1	08/30/23	Addendum #1
RECORD REVISIONS		
PROFESSIONAL'S SIGNATURE DATE		
<b>UpStreet ARCHITECTS, INC.</b> 541 PHILADELPHIA ST. INDIANA, PA 15701      911 MENOHER BLVD. JOHNSTOWN, PA 15905		
COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF GENERAL SERVICES HARRISBURG, PENNSYLVANIA		
D.G.S. PROJECT No. <b>C-0588-0015 PHASE 1</b>		
<b>LOYSVILLE YOUTH DEVELOPMENT CENTER- RENOVATIONS TO ZIMMERMAN-BINGAMAN (ZB) COTTAGE</b> DEPARTMENT OF HUMAN SERVICES LOYSVILLE, TYRONE TOWNSHIP, PERRY COUNTY, PA		
<b>TELECOM DETAILS</b>		
DRAWN BY CF	DATE 27 JUNE 2023	SHEET No. <b>TT-601</b>
CHECKED BY DV	SCALE NTS	