


1 FIRST FLOOR PLAN - NEW WORK - PLUMBING
Scale: 3/16" = 1'-0"

2 RESTROOM AREA WATER PIPING PLAN
Scale: 3/16" = 1'-0"

NOTES ELSEWHERE ON THIS DRAWING

- 1 AUTOMATIC WASHER SUPPLY AND DRAIN UNIT ASSEMBLY IN RECESSED STAINLESS STEEL WALL ENCLOSURE. (REFER TO DETAIL 'A' ON THIS DRAWING)
- 2 PROVIDE SUPPLY-TYPE TRAP PRIMER VALVE ASSEMBLY WITH MULTI-DRAIN DISTRIBUTION AS REQUIRED TO SUPPLY MULTIPLE FLOOR DRAINS. EXTEND AND CONNECT 1/2" TRAP PRIMER SUPPLY LINE TO FLOOR DRAIN(S) TO ENSURE TRAP SEAL IS MAINTAINED. (TYPICAL)
- 3 PROVIDE TRAP PRIMER WATER SUPPLY TO FLOOR DRAIN. EXTEND AND CONNECT 1/2" TRAP PRIMER SUPPLY LINE BELOW FLOOR TO FLOOR DRAIN CONNECTION TO ENSURE TRAP SEAL IS MAINTAINED. (TYPICAL)
- 4 CONNECT CONDENSATE PUMP DISCHARGE TUBING FROM THE AIR HANDLING UNIT CONDENSATE DRAIN PUMP FROM BASEMENT FLOOR AND EXTEND TO THE GRAVITY CONDENSATE DRAIN LINE. CONNECT THE CONDENSATE DRAIN PUMP DISCHARGE LINE TO THE TOP SECTION OF THE GRAVITY CONDENSATE DRAINAGE PIPE WITH A 45° FITTING IN THE DIRECTION. (TYPICAL)
- 5 HOT WATER RETURN CIRCULATION THERMOSTATIC BALANCING VALVE ASSEMBLY SET AT 110°F @ 0.5 GPM MINIMUM.



A WASHING MACHINE SUPPLY AND DRAIN UNIT
Not to Scale

NOTES:

1. ALL ITEMS TO BE CONSIDERED BB#1 UNLESS NOTED OTHERWISE.
2. REFER TO P-001 FOR PLUMBING SYMBOLS, ABBREVIATIONS, NOTES AND DETAILS. (TYPICAL)
3. REFER TO P-701 FOR PLUMBING FIXTURE SCHEDULES AND NOTES. (TYPICAL)
4. REFER TO DRAWING P-101 FOR PLUMBING DEMOLITION OF EXISTING FIXTURES, EQUIPMENT AND ASSOCIATED PIPING REMOVED THROUGHOUT THE BUILDING AS PART OF BUILDING RENOVATION.

RECORD REVISIONS			
PROFESSIONAL'S SIGNATURE DATE			
UpStreet ARCHITECTS, INC. 541 PHILADELPHIA ST. 911 MENOHER BLVD. INDIANA, PA 15701 JOHNSTOWN, PA 15905			
COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF GENERAL SERVICES HARRISBURG, PENNSYLVANIA			
D.G.S. PROJECT No. C-0588-0015 PHASE 1			
LOYSVILLE YOUTH DEVELOPMENT CENTER- RENOVATIONS TO ZIMMERMAN- BINGAMAN (ZB) COTTAGE DEPARTMENT OF HUMAN SERVICES LOYSVILLE, TYRONE TOWNSHIP, PERRY COUNTY, PA			
FIRST FLOOR PLAN - NEW WORK - PLUMBING			
VERIFY SCALE BAR IS ONE (1) INCH LONG ON ORIGINAL DRAWING: 0 1 IF BAR IS NOT ONE (1) INCH LONG, ADJUST SCALE ACCORDINGLY	CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS. VARIANCE FROM CONTRACT DOCUMENTS NOT PERMITTED WITHOUT PROFESSIONAL & BUREAU OF CONSTRUCTION APPROVAL.	DRAWN BY S. KORMANIK CHECKED BY W. MINAHAN	DATE 27 JUNE 2023 SCALE AS NOTED
SHEET No. P-201			