


1

**BASEMENT PLAN - DEMOLITION - MECHANICAL**

Scale: 3/16" = 1'-0"



**GENERAL NOTES**

1. ALL ITEMS TO BE CONSIDERED BB#1 UNLESS NOTED OR SHOWN OTHERWISE.
2. NOT ALL PIPING, PIPING APPURTENANCES, FITTING AND EQUIPMENT NOT SHOWN FOR CLARITY.
3. PIPE SIZE NOT FIELD VERIFIED.

**KEYNOTES**

- D1 WITHIN THIS AREA DISCONNECT AND REMOVE ALL PIPING, VALVES, PIPE INSULATION, CONVECTORS, MECHANICAL EQUIPMENT, EXHAUST FANS, DUCTWORK, CONTROLS AND ALL OTHER ASSOCIATED APPURTENANCES IN THEIR ENTIRETY. FIELD VERIFY ALL EXISTING QUANTITIES AND LOCATIONS.
- D2 DISCONNECT AND REMOVE ALL STEAM PIPING, STEAM CONDENSATE PIPING AND ALL ASSOCIATED CONTROLS IN THEIR ENTIRETY BACK TO POINT OF DISCONNECT.
- D3 REMOVE EXISTING WINDOW AIR CONDITIONING UNIT AND TURN OVER TO OWNER.
- D4 DISCONNECT AND REMOVE EXISTING UNIT HEATER AND ALL ASSOCIATED PIPING AND CONTROLS IN THEIR ENTIRETY. TURN UNIT HEATER OVER TO OWNER.
- D5 DISCONNECT AND REMOVE EXISTING STEAM CONVECTOR AND ALL ASSOCIATED PIPING AND CONTROLS IN THEIR ENTIRETY.
- D6 DISCONNECT AND REMOVE ALL STEAM PIPING SUPPLY AND CONDENSATE PIPING UP TO FLOOR ABOVE IN ITS ENTIRETY. PATCH PENETRATION TO MATCH EXISTING EXCEPT WHERE NEW PIPING TO BE ROUTED IN NEW WORK PHASE.
- D7 DISCONNECT AND REMOVE EXISTING CONVECTOR AND ALL ASSOCIATED PIPING AND CONTROLS. PATCH WALL TO MATCH EXISTING.
- D8 DISCONNECT AND REMOVE EXISTING CENTRAL VACUUM SYSTEM ALL ASSOCIATED EQUIPMENT, PIPING AND CONTROLS IN THEIR ENTIRETY. NOT ALL VACUUM CONNECTION LOCATIONS SHOWN - CONTRACTOR SHALL REMOVE ENTIRE SYSTEM IN ITS ENTIRETY.

RECORD REVISIONS		
PROFESSIONAL'S SIGNATURE    DATE		
<b>UpStreet</b> ARCHITECTS, INC. 541 PHILADELPHIA ST.    911 MENOHER BLVD. INDIANA, PA 15701    JOHNSTOWN, PA 15905		
COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF GENERAL SERVICES HARRISBURG, PENNSYLVANIA		
D.G.S. PROJECT No. <b>C-0588-0015 PHASE 1</b>		
<b>LOYSVILLE YOUTH DEVELOPMENT CENTER- RENOVATIONS TO ZIMMERMAN- BINGAMAN (ZB) COTTAGE</b> DEPARTMENT OF HUMAN SERVICES LOYSVILLE, TYRONE TOWNSHIP, PERRY COUNTY, PA		
<b>BASEMENT PLAN - DEMOLITION - MECHANICAL</b>		
<b>VERIFY SCALE</b>  BAR IS ONE (1) INCH LONG ON ORIGINAL DRAWING:  0    1  IF BAR IS NOT ONE (1) INCH LONG, ADJUST SCALE ACCORDINGLY	CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS. VARIANCE FROM CONTRACT DOCUMENTS NOT PERMITTED WITHOUT PROFESSIONAL & BUREAU OF CONSTRUCTION APPROVAL.	DRAWN BY W. MINAHAN  CHECKED BY T. HOVAN  DATE 27 JUNE 2023  SCALE AS NOTED  SHEET No.  <b>M-100</b>