

ROOM FINISH MATERIALS LEGEND

CARPET • RESILIENT FLOORING	INTERIOR DOORS	SPECIALTY FINISHES • MATERIALS	DECORATIVE & ACCENT LIGHT FIXTURES																																																	
<p>CPT-1 Modular Carpet Tile Mfg: Interface Collection: Naturally Weathered Pattern: 139400AK00 Color: 106024 Tile Size: 25cm x 1m Yarn System: 100% Recycled Content Type 6 Nylon Thickness: 2.6mm / Repeat: none Backing: GlasBac Tile Install Method: Ashlar or Brick Locations: Noted on Room Finish Plan Note 1: Install carpet in pattern direction noted on ID Room Finish Plan. Note 2: Refer to Transitions for appropriate floor Transition pieces per condition</p> <p>LVT-1 Luxury Vinyl Tile Mfg: J&J Flooring Group Series: Timeless Color: 1061 Gift Size: 9" x 48" plank shape tile Gauge: 5mm Wear Layer: 20 mil Finish/Coating: UV Urethane with ceramic bead Square Ft. per Carton: 3.00 Product Warranty: 10 yr. commercial warranty Required Adhesives: J&J LVT adhesive Install Method: Random plank - mimic a wood floor Locations: Noted on Room Finish Plan Note 1: Install LVT-1 in pattern direction noted on ID Room Finish Plan Note 2: Refer to Transitions for appropriate floor Transition pieces per condition</p> <p>FLOORING NOTES: 1. Flooring Contractor shall refer to each Manufacturer's written specifications for floor preparation, materials, adhesives, and installation instructions, and shall comply to ensure full warranty requirements. 2. Reference the floor plans and details in this Plan Set for additional instructions regarding the flooring materials specified. 3. For 'below grade' floorcovering installations, flooring contractor shall be responsible for subfloor moisture assessment prior to installation and shall recommend appropriate sub floor preparation, adhesive, and installation method. This information shall be disclosed to the general contractor or owner during the project pricing phase.</p>	<p>Interior Metal Doors - Painted Finish Metal doors shall receive painted finish/color to match trim finish/color by room called out in the Room Finish Schedule.</p> <p>Interior Wood Doors - Stained Finish Wood Doors - Interior Room Door Mfg: Masonite Architectural Series: Aspiro Series Type: Solid core flush panel door Species: White Maple (Plain Sliced) Stain color: Clear Location: Interior doors as noted on architectural plan set</p> <p>DOOR NOTES: 1. Door finishes listed above shall occur on both sides of door unless noted otherwise 2. Refer to architectural plan set for additional door type information and door locations.</p>	<p>Interior Device Covers Switch plate and receptacle plate covers and devices shall be color: Standard gray. Wherever possible the device itself shall be gray. If a device is not available in gray, then white is acceptable.</p>	<p>F1 Decorative Light Fixture - Meeting Rm 112 Mfg: Modern Forms Style: Single Pendant Chandelier Base item #: PD-55024 Size: 36" dia - 2" ring band height Lamping: 3500K LED Rated Life: 50,000 hrs. Finish: 1: Black Mounting Instructions: Refer to detail on ID Plan Set Location: Meeting Rm 112 Note 1: Install on dimmer control</p> <p>GENERAL REMARKS: 1. Light fixtures shown on this plan are to be considered accent lighting, not full room lighting. The specifications are only to identify the manufacturer, style, finishes, and size of each fixture type. The electrical contractor shall be responsible for specifying the correct lamp type/wattage to coordinate with the other lights in the space. The design intent from this office is to obtain a color temperature of 3000K-3200K from each light fixture. The EC shall review any fixture being installed on the project that varies from this color temperature more than 2000K with this office prior to ordering the fixtures. 2. Electrical Contractor shall verify all specifications listed in this legend for compliance to prevailing building code compliance. 3. Alternates MUST be approved by this office during bidding process or pre-construction process. Above specifications are not subject to "or equal" submissions. 4. Contact GCI Design, Inc. with any additional questions.</p>																																																	
<p>FLOORING TRANSITIONS</p> <p>TR-1 Schluter Systems - Profile: Schiene Transition Piece Condition 1: 5mm LVT floor to carpet. Base Item: SCHIENE transition piece Finish: Satin Anodized Aluminum Note 1: Flooring contractor shall select specific item/number and size of transition pieces required per condition by room. Note 2: Requirement is to ensure an ADA compliant flooring transition, with the two adjoining floor surfaces to be as equal in finished height as possible.</p> <p>TR-2 Schluter Systems - Profile: Reno-U Transition Piece Condition 1: 5mm LVT floor to concrete floor Base Item: RENO-U transition piece Finish: Satin Anodized Aluminum Note 1: Flooring contractor shall select specific item/number and size of transition pieces required per condition by room. Note 2: Requirement is to ensure an ADA compliant flooring transition, with the two adjoining floor surfaces to be as equal in finished height as possible.</p> <p>NO TRANSITION PIECE CONDITIONS OCCUR WHEN: 1. Transitions where two equal gauge/height flooring materials meet. 2. Factory supplied thresholds are present, i.e. elevator cab doors, exterior doors. 3. A threshold where it is specified to receive a clear seam seal in joint between two flooring materials. 4. Flooring Contractor shall site verify all quantities and final specification of each type of flooring finishing, edge protection, and transition pieces per above base spec.</p>	<p>WINDOW TREATMENTS</p> <p>WT-1 Clutch Operated Manual Window Shade Mfg: Draper Type: Manually operated roll-up window shade Operation: Bead Chain (stainless steel) & clutch operating system. Fabric: Sheerweave Series SW 5000 Opacity: 3% Color: O07 Kettal Grey - face and back Fascia: Fabric covered fabric to match shade. Use a continuous valance when possible Finish: Anodized silver Installation: Inside Mount Location: Exterior Windows as noted on Room Finishes Plan Note 1: Shade shall come to within 1/4" maximum allowable distance from edge of shade to window casing. Note 2: For windows wider than 12'-0" wide, use a continuous fascia with as few panels as possible. Submit sketch to this office for approval. Use a continuous valance when possible.</p> <p>WINDOW TREATMENT NOTES: 1. Vendors shall site verify measurements of all windows prior to submitting final price proposal. If site is under construction and not available, measurements shall be verified in writing through this office and/or the architectural firm. 2. Obtain window treatments through one source from a single vendor who will provide products as specified, no substitutions allowed. 3. All window treatments as specified pass the NFPA 701 flame test. 4. If motorized shades/blinds are specified, the vendor shall verify requirements in writing with proce proposal and coordinate electrical and technical requirements with this office, the GC, and the Electrical Contractor during the pricing or bidding process. 5. If a mock up is required, it must be provided to the owner for a 5-day review and evaluation within a reasonable timeframe to place an order and install the product within the GC construction schedule. 6. Store products in manufacturer's unopened packaging, in a safe environment, fully labeled for ease of installation, until GC installation schedule permits installation, or until the building interior is substantially complete. 7. Vendor shall verify on site, during installation, the fully operational status of each shade/blind to either the GC or this office. 8. Touch-up, repair, or replace damage products before final project punchlist. 9. For windows wider than 12'-0" wide, use a continuous fascia with as few panels as possible. 10. Coordinate blocking requirements with General Contractor immediately upon award of contract to provide this item for the project. 11. Materials, fabrication, and installation shall all be by written instruction from the manufacturer.</p>	<p>RESTROOM ACCESSORIES</p> <p>MIR-1 Vanity Mirror in Restrooms Item: Bobrik Channel-Frame Mirror Mfg: Bobrik Series: B-165 Model No: B-165-2448 Size: 24"W x 48" H Location: Existing restrooms Note 1: Follow manufacturers written installation instructions</p>																																																		
<p>WALL BASE • DOOR & WALL PROTECTION</p> <p>WB-1 Wall Base - Typical rubber base throughout Mfg: Roppe Corporation Type: Pinnacle sbr rubber base (ts) Profile: Standard Toe profile Height: 6" high x 1/8" thickness Color: 150 Dark Gray Location: Noted in Room Finish Schedule Note 1: Do NOT use corner pieces. Mitre cut all inside/outside corners.</p> <p>WB-2 Wall Base - Painted wood wall base Mfg: by General Contractor Type: 4" high painted wood wall base Profile: Beveled top edge profile Size: 5" high x 3/4" thick Color: PNT-1a Typical trim paint Location: Noted on Room Finish Plan and details Note 1: Do NOT use corner pieces. Mitre cut all inside/outside corners.</p> <p>CR-2 Chair Rail - painted wood Mfg: by General Contractor Type: 3-1/2" high painted wood chair rail Profile: Beveled top and lower edge profile Size: 3-1/2" high x 3/4" thick Color: PNT-1a Typical trim paint and details Location: Noted on Room Finish Plan and details Note 1: Do NOT use corner pieces. Mitre cut all inside/outside corners.</p>	<p>MILLWORK</p> <p>PL-1 Plastic Laminate Material - Reception Counter Mfg: Formica Color: Smoke Quarstone 6220-58 Finish: 58 Matte finish Location: Reception Counter Note 1: Refer to Legends & Schedules sheet Note 2: MUST use color matching PVC edge band</p> <p>PL-2 Plastic Laminate Material - Millwork Desk Tops Mfg: Formica Color: White Shalestone 9525-58 Finish: 58 Matte finish Location: Custom Millwork Desk Tops Note 1: Refer to Legends & Schedules sheet Note 2: MUST use color matching PVC edge band</p> <p>PL-3 Plastic Laminate Material - Millwork Desk Base Supports Mfg: Formica Color: Storm Teakwood 8908-NG Finish: NG Natural Grain Location: Custom Millwork Desk Base Note 1: Refer to Legends & Schedules sheet Note 2: MUST use color matching PVC edge band</p> <p>PL-4 Plastic Laminate Material - Millwork Desk Base Supports Mfg: Formica Color: 6414-NG Black Riftwood Finish: NG Natural Grain Location: Staff Room Cabinets Note 1: Refer to Legends & Schedules sheet Note 2: MUST use color matching PVC edge band</p> <p>PL-5 Plastic Laminate Material - Millwork Desk Base Supports Mfg: Wilsonart Color: 4879-38 Steel Mesh Finish: 38 Fine Velvet Finish Location: Platform Dias Desk countertop Note 1: Refer to Legends & Schedules sheet Note 2: MUST use color matching PVC edge band</p> <p>WV-1 Wood Veneer Vertical Surfacing Material - Dias Desk Mfg: Wolf Gordon Series: WonderWood Veneer Wallcovering Color: WWDV-223 Bog Oak Qtrd. Finish: NG Natural Grain Location: Custom Dias Desk Note 1: Refer to Legends & Schedules sheet</p> <p>SUP-1 Support Bracket for under Laminate Counter Top Mfg: Mockett Series: SH1 Item: SH1- Large Arc Shelf Bracket Size: 7" W x 7-7/16" H Finish: Matte Black Location: refer to details ID Plan Set</p> <p>HDW-1 Decorative Cabinet Hardware Mfg: Amerock Series: EssentialZ Item: BP19203G10 Finish: Satin Nickel Size: 5-1/16" CTC - 128mm Location: Staff Room 106 Note 1: Refer to Legends & Schedules sheet Note 2: Provide shop drawings for review/approvals</p>	<p>MILLWORK SCHEDULE</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>NO.</th> <th>ROOM</th> <th>TAG</th> <th>ITEM</th> <th>BASE UNIT / HDWR</th> <th>COUNTERTOP & SPLASHES</th> <th>EDGE PROFILE</th> <th>WALL UNIT / HDWR</th> <th>SPECIALTY ITEM</th> <th>REMARKS</th> </tr> </thead> <tbody> <tr> <td>101</td> <td>ADMIN</td> <td>A</td> <td>U-Shape Laminate Desk Unit</td> <td>PL-3 Supports No Decorative Hardware</td> <td>PL-2 Desk Top No Splashes</td> <td>Flat Edge - Matching PVC edge band</td> <td>None</td> <td>None</td> <td>Refer to architectural plans for details</td> </tr> <tr> <td>102</td> <td>SECURE LOBBY</td> <td>B</td> <td>Customer Transaction Counter</td> <td>SUP-1 Support Brackets</td> <td>PL-1 Transaction Top</td> <td>Flat Edge - Matching PVC edge band</td> <td>None</td> <td>None</td> <td>Refer to architectural plans for details</td> </tr> <tr> <td>106</td> <td>STAFF</td> <td>C</td> <td>Kitchen Cabinets</td> <td>PL-4 Base Cabinets HDW-1 Pulls</td> <td>PL-1 Counter Top & Splashes</td> <td>Flat Edge - Matching PVC edge band</td> <td>PL-1 Wall Cabinets HDW-1 Pulls</td> <td>Under-cabinet lighting. See note below</td> <td>Refer to architectural plans for details</td> </tr> <tr> <td>112</td> <td>MEETING ROOM</td> <td>D</td> <td>Platform Dias Desk</td> <td>WV-1 Wood Veneer Surfacing Mat. Solid Wood - ptd finish No Hardware</td> <td>PL-4 Counter Top</td> <td>Flat Edge - Matching PVC edge band</td> <td>None</td> <td>None</td> <td>Refer to ID Plan Set for details</td> </tr> </tbody> </table> <p>NOTE: 1. ID Plan millwork design details are for concept only. Fabricator to provide shop drawings for final review prior to fabrication or installation. 2. Electrical Contractor to provide under-cabinet lighting to underside of wall cabinets. Review locations/switching methods with owner.</p>	NO.	ROOM	TAG	ITEM	BASE UNIT / HDWR	COUNTERTOP & SPLASHES	EDGE PROFILE	WALL UNIT / HDWR	SPECIALTY ITEM	REMARKS	101	ADMIN	A	U-Shape Laminate Desk Unit	PL-3 Supports No Decorative Hardware	PL-2 Desk Top No Splashes	Flat Edge - Matching PVC edge band	None	None	Refer to architectural plans for details	102	SECURE LOBBY	B	Customer Transaction Counter	SUP-1 Support Brackets	PL-1 Transaction Top	Flat Edge - Matching PVC edge band	None	None	Refer to architectural plans for details	106	STAFF	C	Kitchen Cabinets	PL-4 Base Cabinets HDW-1 Pulls	PL-1 Counter Top & Splashes	Flat Edge - Matching PVC edge band	PL-1 Wall Cabinets HDW-1 Pulls	Under-cabinet lighting. See note below	Refer to architectural plans for details	112	MEETING ROOM	D	Platform Dias Desk	WV-1 Wood Veneer Surfacing Mat. Solid Wood - ptd finish No Hardware	PL-4 Counter Top	Flat Edge - Matching PVC edge band	None	None	Refer to ID Plan Set for details
NO.	ROOM	TAG	ITEM	BASE UNIT / HDWR	COUNTERTOP & SPLASHES	EDGE PROFILE	WALL UNIT / HDWR	SPECIALTY ITEM	REMARKS																																											
101	ADMIN	A	U-Shape Laminate Desk Unit	PL-3 Supports No Decorative Hardware	PL-2 Desk Top No Splashes	Flat Edge - Matching PVC edge band	None	None	Refer to architectural plans for details																																											
102	SECURE LOBBY	B	Customer Transaction Counter	SUP-1 Support Brackets	PL-1 Transaction Top	Flat Edge - Matching PVC edge band	None	None	Refer to architectural plans for details																																											
106	STAFF	C	Kitchen Cabinets	PL-4 Base Cabinets HDW-1 Pulls	PL-1 Counter Top & Splashes	Flat Edge - Matching PVC edge band	PL-1 Wall Cabinets HDW-1 Pulls	Under-cabinet lighting. See note below	Refer to architectural plans for details																																											
112	MEETING ROOM	D	Platform Dias Desk	WV-1 Wood Veneer Surfacing Mat. Solid Wood - ptd finish No Hardware	PL-4 Counter Top	Flat Edge - Matching PVC edge band	None	None	Refer to ID Plan Set for details																																											
<p>PAINT • WALLCOVERING</p> <p>PNT- 1a Wall Paint Mfg: Sherwin Williams Paint Color: African Gray SW-9162 Finish: Eggshell Location: Accent Walls</p> <p>PNT- 1b Trim Paint Mfg: Sherwin Williams Paint Color: African Gray SW-9162 Finish: Semi-gloss Location: Door Casing and Window Trim</p> <p>PNT- 2 Typical Wall Paint - Main light wall paint color Mfg: Sherwin Williams Paint Color: Big Chill SW-7648 Finish: Eggshell Location: Throughout U.N.O.</p> <p>PNT- 2c Typical Wall Paint - Main light wall paint color Mfg: Sherwin Williams Paint Color: Big Chill SW-7648 Finish: Flat Location: Ceilings and Soffits</p> <p>PNT- 3 Accent Wall Paint Mfg: Sherwin Williams Paint Color: Software SW-7074 Finish: Eggshell Location: As noted on Room Finish Plan</p> <p>PNT- 4 Accent Wall Paint Mfg: Sherwin Williams Paint Color: Bracing Blue SW-6242 Finish: Eggshell Location: Staff 106</p> <p>AWC-1 Acoustical Wallcovering Mfg: Wolf Gordon Type: Acoustical Wallcovering Pattern/color: Paragon / Thunder Product#: GOH 32867769 Width: 54" wide Repeat: none/vertical rib Weight: 24oz per linear yard Hang Method: Straight hang, Random match Location: Meeting Room 112</p> <p>PAINT NOTES: Note 1: There are existing paneled walls in this project which will require a specific primer system. This will be the requirement of the painting contractor to ensure the use of the Sherwin Williams written recommended primer to use with the paint specifications. Sherwin William Paint Specification: 1. GWP - Gypsum Wall Board Surfaces a. For normal traffic/abrasion applications such as offices, etc i. Primer: ProMar 200 Zero VOC Latex Primer 1st Coat: ProMar 200 Zero VOC Latex Eg-Shel 2nd Coat: ProMar 200 Zero VOC Latex Eg-Shel b. For areas subject to heavy traffic/abrasion such as lobbies, corridors, stairwells, etc. i. Primer: ProMar 200 Zero VOC Latex Primer 1st Coat: Pro Industrial Pre-Catalyzed Waterbased Epoxy Eg-Shel 2nd Coat: Pro Industrial Pre-Catalyzed Waterbased Epoxy Eg-Shel 2. CMU - Concrete Masonry Unit Surfaces a. For normal traffic/abrasion applications such as offices, etc i. Primer: PrepRite Block Filler 1st Coat: ProMar 200 Zero VOC Latex Eg-Shel (or semi-gloss) 2nd Coat: ProMar 200 Zero VOC Latex Eg-Shel (or semi-gloss) b. For areas subject to heavy traffic/abrasion such as lobbies, corridors, stairwells, etc. i. Primer: PrepRite Block Filler 1st Coat: Pro Industrial Pre-Catalyzed Waterbased Epoxy Eg-Shel (or semi-gloss) 2nd Coat: Pro Industrial Pre-Catalyzed Waterbased Epoxy Eg-Shel (or semi-gloss)</p>	<p>ELIZABETH TOWNSHIP OFFICES 423 SOUTHVIEW DRIVE, LITITZ, PA 17543</p> <p style="text-align: center;">OFFICE RENOVATION</p>			<p>CLIENT: ELIZABETH TOWNSHIP OFFICES PROJECT: OFFICE RENOVATION</p> <p style="text-align: right;">5/15/23</p> <p style="text-align: right;">CURRENT ARCHITECTURAL BACKGROUNDS</p>																																																



Client: ELIZABETH TOWNSHIP OFFICES
 Project: OFFICE RENOVATION
 423 SOUTHVIEW DRIVE, LITITZ, PA 17543

Drawing Title: SCHEDULES • LEGENDS
 PROGRESS PRINT
 BID SET
 CONSTRUCTION DOCUMENTS 5/15/23
 CURRENT ARCHITECTURAL BACKGROUNDS

Scale: AS NOTED

ID2