




10 DETAIL (CLASSRM 208 & 211)
SCALE: 3" = 1'-0"




11 DETAIL - TYP. GWB BULKHD ALIGNMENT
SCALE: 3" = 1'-0"




02 DETAIL - GWB BULKHD (RM 119/120)
SCALE: 3" = 1'-0"



04 DETAIL - GWB BULKHD (RM 126/129)
SCALE: 3" = 1'-0"




06 DETAIL - GWB BULKHD (RM 133)
SCALE: 3" = 1'-0"




04 MRGWB TRANSITION
SCALE: 3" = 1'-0"


08 ACT TRANSITION
SCALE: 3" = 1'-0"




01 DETAIL - GWB BULKHD (RM 120/118)
SCALE: 3" = 1'-0"



03 DETAIL - GWB BULKHD (RM 126/127)
SCALE: 3" = 1'-0"



05 DETAIL - GWB BULKHD (RM 132/130)
SCALE: 3" = 1'-0"



07 DETAIL - GWB BULKHD (RM 140/139)
SCALE: 3" = 1'-0"

ROOM FINISH SCHEDULE										
No.	NAME	FLOOR	BASE	WALL	CLG	CLG HT	DETAILS			REMARKS
							BASE	CLG	OTHER	
FIRST FLOOR										
118	FACULTY SHOWER	-	-	-	MRGWB	8'-4" (MATCH EXTG)	-	09/16.00	01/16.00 11/16.00	2
119	FACULTY LOCKER ROOM	-	-	-	ACT-1	8'-7" (MATCH EXTG)	-	08/16.00	02/16.00 11/16.00	-
119A	VESTIBULE	-	-	-	ACT-1	8'-7" (MATCH EXTG)	-	08/16.00	-	3
120	FACULTY RESTROOM	-	-	EXCMU	ACT-1	8'-4"	-	08/16.00	01/16.00 02/16.00	1,3
121	STORAGE	-	-	EXCMU	ACT-1	8'-0"	-	08/16.00	-	1
123	CORRIDOR	-	-	EXCMU	ACT-2	8'-7" (MATCH EXTG)	-	08/16.00	-	1,3
124	JANITOR CLOSET	-	-	-	ACT-1	8'-6"	-	08/16.00	-	-
125	WOMEN'S RESTROOM	-	-	EXCMU	ACT-2	8'-6"	-	08/16.00	-	1,3
126	VARSITY LOCKER ROOM	-	-	-	ACT-1	8'-7" (MATCH EXTG)	-	08/16.00	03/16.00 04/16.00	1
127	TOILET	-	-	EXCMU	ACT-1	8'-5"	-	08/16.00	03/16.00 11/16.00	1
128	TRAINING ROOM	-	-	EXCMU	ACT-1	8'-6" (MATCH EXTG)	-	08/16.00	-	1,3
129	SHOWER ROOM	-	-	-	MRGWB	8'-7" (MATCH EXTG)	-	09/16.00	04/16.00 11/16.00	2
130	WHEELPOOL	-	-	EXCMU	ACT-1	8'-4"	-	08/16.00	05/16.00	1
131	STORAGE	-	-	-	ACT-1	8'-4"	-	08/16.00	-	-
132	TRAINING ROOM	-	-	-	ACT-1	8'-6" (MATCH EXTG)	-	08/16.00	05/16.00 11/16.00	-
133	WOMEN'S FACULTY RESTROOM	-	-	EXCMU	ACT-1, MRGWB	8'-5" & 8'-8" (MATCH EXTG)	-	08/16.00 09/16.00	06/16.00 11/16.00	1,3
134	JANITOR CLOSET	-	-	-	ACT-1	8'-6"	-	08/16.00	-	-
135	CORRIDOR	-	-	EXCMU	ACT-2	8'-4" (MATCH EXTG)	-	08/16.00	-	1,3
136	MEN'S RESTROOM	-	-	EXCMU	ACT-2	7'-10"	-	08/16.00	-	1,3
139	MEN'S LOCKER ROOM	-	-	EXCMU	ACT-1	8'-4" (MATCH EXTG)	-	08/16.00	07/16.00	1
140	MEN'S SHOWER ROOM	-	-	-	MRGWB	7'-4" (MATCH EXTG)	-	09/16.00	07/16.00 11/16.00	2
SECOND FLOOR										
208	CLASSROOM	-	-	EXCMU EXGWB	ACT-3	10'-8"	-	08/16.00	10/16.00	1,3
209	CLASSROOM	-	-	EXCMU EXGWB	ACT-3	10'-0"	-	08/16.00	-	1,3
210	STORAGE	-	-	EXCMU EXGWB	ACT-3	10'-0"	-	08/16.00	-	1,3
210A	OFFICE	-	-	EXCMU EXGWB	ACT-3	10'-0"	-	08/16.00	-	1
210B	STORAGE	-	-	EXCMU EXGWB	ACT-3	10'-0"	-	08/16.00	-	1,3
211	CLASSROOM	-	-	EXCMU	ACT-3	10'-8"	-	08/16.00	10/16.00	1,3
212	CLASSROOM	-	-	EXGWB	ACT-3	10'-0"	-	08/16.00	-	1
FAN/MECHANICAL EQUIPMENT RMS										
NO. 1	FAN/MECH. EQUIP. RM.	-	-	-	STRUCT STL	VARIABLES	-	-	-	4
NO. 2	FAN/MECH. EQUIP. RM.	-	-	-	STRUCT STL	VARIABLES	-	-	-	4
NO. 3	FAN/MECH. EQUIP. RM.	-	-	-	STRUCT STL	VARIABLES	-	-	-	4
NO. 4	FAN/MECH. EQUIP. RM.	-	-	-	STRUCT STL	VARIABLES	-	-	-	4

MATERIAL FINISH KEY

MRGWB MOISTURE RESISTANT GYPSUM WALL BOARD. PAINT. SEE SPECIFICATION SECTION 09123 - INTERIOR PAINTING.

EXGWB EXISTING GYPSUM WALL BOARD. PROVIDE PAINT TOUCH UP. SEE SPECIFICATION SECTION 09123 - INTERIOR PAINTING.

EXCMU EXISTING CONCRETE MASONRY UNITS. PROVIDE PAINT TOUCH UP. SEE SPECIFICATION SECTION 09123 - INTERIOR PAINTING.

CEILING MATERIAL FINISH
ACT 1 24" x 48" SUSPENDED ACOUSTIC CEILING SYSTEM. B.O.D. - ARMSTRONG CERAMAGUARD UNPERFORATED MEDIUM TEXTURE SQUARE LAY-IN CEILING PANEL WITH 15/16" PRELUDE SUSPENSION SYSTEM. SEE SPECIFICATION SECTION 09513 - ACOUSTIC PANEL CEILINGS.

ACT 2 24" x 24" SUSPENDED ACOUSTIC CEILING SYSTEM. B.O.D. - ARMSTRONG SCHOOL ZONE FINE FIGURED MEDIUM TEXTURE SQUARE LAY-IN CEILING PANEL WITH 15/16" PRELUDE SUSPENSION SYSTEM. SEE SPECIFICATION SECTION 09513 - ACOUSTIC PANEL CEILINGS.

ACT 3 24" x 48" SUSPENDED ACOUSTIC CEILING SYSTEM. B.O.D. - ARMSTRONG SCHOOL ZONE FINE FIGURED MEDIUM TEXTURE SQUARE LAY-IN CEILING PANEL WITH 15/16" PRELUDE SUSPENSION SYSTEM. SEE SPECIFICATION SECTION 09513 - ACOUSTIC PANEL CEILINGS.

MRGWB MOLD AND WATER RESISTANT GYPSUM WALL BOARD. SEE SPECIFICATION SECTION 09123 - INTERIOR PAINTING.

REMARKS

1. PROVIDE PAINT TOUCH UP NEEDED TO WALL SURFACE AREAS THAT HAVE BEEN ADVERSELY AFFECTED BY DEMOLITION OR CONSTRUCTION ACTIVITIES.

2. PROVIDE 24" x 24" CEILING MOUNTED ACCESS PANEL. SEE SPECIFICATION SECTION 09513 - ACCESS DOORS AND FRAMES FOR ADDITIONAL INFORMATION.

3. EXPOSED TEE ACOUSTIC CEILING PANEL SUSPENSION SYSTEM. PROVIDE BULL NOSE CORNER COVER FOR NOMINAL 1/8" EDGE MOLDING. CONTRACTOR TO FIELD VERIFY RADIUS OF ALL BULL NOSE CORNER BLOCK CONDITIONS PRIOR TO RELEASE OF CEILING SYSTEM PURCHASE ORDER. SEE SPECIFICATION SECTION 09513 - ACOUSTICAL PANEL CEILINGS FOR ADDITIONAL INFORMATION.

4. STRUCTURAL STEEL AND STEEL REINFORCING EXPOSED STRUCTURAL STEEL COMPONENTS USED FOR REINFORCEMENT OF EXISTING STRUCTURE THAT ARE EXPOSED TO VIEW AND EXTEND BEYOND THE OUTSIDE FACE OF FAN/MECHANICAL EQUIPMENT ROOMS NO. 1, 2, 3, AND 4, ARE TO BE PAINTED TO MATCH THE COLOR OF EXISTING GYMNASIUM STRUCTURAL STEEL AND METAL DECK. SEE FLOOR PLAN 01A.01, ROOF FRAMING PLAN 5101, AND SPECIFICATION SECTION 09123 - INTERIOR PAINTING, FOR ADDITIONAL INFORMATION.

PROFESSIONAL SEAL

KAUTER & KELLEY ARCHITECTS
6 Belmont Avenue
Wilmington, PA 19810
Tel: 610.372.9980
www.kauterkelley.com

FUGILLO HVAC UPGRADE
MILLERSVILLE UNIVERSITY
105 FUGILLO DRIVE
MILLERSVILLE, PA 17551

ROOM FINISH SCHEDULE;
DETAILS

PROJ. NO.: M1-1213

DATE: 11.17.23

SCALE: AS NOTED

A6.00